

1 BILL NO. S-86-03- 24

2 SPECIAL ORDINANCE NO. S- 53-86

3 AN ORDINANCE approving City Utilities
4 Purchase Order #A-52929, by the City
5 of Fort Wayne, Indiana, by and through
6 its Department of Purchasing and Vacuum
7 Loading, Inc., for the Three Rivers
8 Filtration Plant.


9 NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF
10 THE CITY OF FORT WAYNE, INDIANA:

11 SECTION 1. That City Utilities Purchase Order #A-52929,
12 between the City of Fort Wayne, by and through its City Utilities,
13 and the Department of Purchasing, with Vacuum Loading, Inc., for
14 the Three Rivers Filtration Plant, respectfully for:


15 the purchase of equipment and personnel
16 to remove all sand and gravel from
17 filters at the Three Rivers Filtration
18 Plant;

19 involving a total cost of Eleven Thousand Seven Hundred Fifty and
20 No/100 Dollars (\$11,750.00), all as more particularly set forth
21 in said Purchase Order, which is on file in the Office of the
22 Department of Purchasing and is by reference incorporated herein,
23 made a part hereof, and is hereby in all things ratified, con-
24 firmed and approved.

25 SECTION 2. That this Ordinance shall be in full force
26 and effect from and after its passage and any and all necessary
27 approval by the Mayor.

28 
Councilmember

29 APPROVED AS TO FORM
30 AND LEGALITY

31 
32 Bruce O. Boxberger, City Attorney

Read the first time in full and on motion by Burns,
seconded by Eisbart, and duly adopted, read the second time
by title and referred to the Committee City of Utilities (and the Cit
Plan Commission for recommendation) and Public Hearing to be held after
due legal notice, at the Council Chambers, City-County Building, Fort Wayne
Indiana, on _____, the _____ day of
_____, 19____, at _____ o'clock _____.M.,E.

DATE: 3-25-86

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Read the third time in full and on motion by Burns,
seconded by Henry, and duly adopted, placed on its
passage. PASSED (LOST) by the following vote:

	<u>AYES</u>	<u>NAYS</u>	<u>ABSTAINED</u>	<u>ABSENT</u>	<u>TO-WIT:</u>
<u>TOTAL VOTES</u>	<u>8</u>	_____	_____	<u>1</u>	_____
<u>BRADBURY</u>	<u>✓</u>	_____	_____	_____	_____
<u>BURNS</u>	<u>✓</u>	_____	_____	_____	_____
<u>EISBART</u>	<u>✓</u>	_____	_____	_____	_____
<u>GiaQUINTA</u>	_____	_____	_____	<u>✓</u>	_____
<u>HENRY</u>	<u>✓</u>	_____	_____	_____	_____
<u>REDD</u>	<u>✓</u>	_____	_____	_____	_____
<u>SCHMIDT</u>	<u>✓</u>	_____	_____	_____	_____
<u>STIER</u>	<u>✓</u>	_____	_____	_____	_____
<u>TALARICO</u>	<u>✓</u>	_____	_____	_____	_____

DATE: 4-8-86

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Passed and adopted by the Common Council of the City of Fort
Wayne, Indiana, as (~~ANNEXATION~~) (~~APPROPRIATION~~) (~~GENERAL~~)
(~~SPECIAL~~) (~~ZONING MAP~~) ORDINANCE (~~RESOLUTION~~) NO. J-53-86
on the 8th day of April, 1986,

ATTEST:

(SEAL)

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Samuel J. Talarico
PRESIDING OFFICER

Presented by me to the Mayor of the City of Fort Wayne, Indiana,
on the 9th day of April, 1986,
at the hour of 1:00 o'clock PM.M.,E.S.T.

Sandra E. Kennedy
SANDRA E. KENNEDY, CITY CLERK

Approved and signed by me this 10th day of April,
1986, at the hour of 10 o'clock A.M.,E.S.T.

Win Moses, Jr.
WIN MOSES, JR., MAYOR

Removal of all sand and gravel from filters
at Three Rivers Filtration Plant.

Single source - Vacuum Loading, Inc.

Price to remove media from filters:

Price per filter @ five (5) filters - \$750.00	\$ 3,750.00
--	-------------

Price to remove sand and gravel from
gravity filters:

Price per filter @ two (2) filters - \$4,000.00	\$ 8,000.00
---	-------------

Total

\$11,750.00

7257
DIGEST SHEET

TITLE OF ORDINANCE: SPECIAL

DEPARTMENT REQUESTING ORDINANCE: PURCHASING

SYNOPSIS OF ORDINANCE:

An ordinance approving City Utilities Purchase order #A-52929 with respect to the purchase of equipment and personnel to remove all sand and gravel from filters at the Three Rivers Filtration Plant.

S-86-03-24

EFFECT OF PASSAGE:

Filters need to be rebuilt from time to time to produce quality water.

EFFECT OF NON-PASSAGE:

Plant will not produce quality water. City would be in non-compliance with E.P.A. regulations.

MONEY INVOLVED (Direct costs, Expenditures, Savings):

Vacuum Loading, Inc. #A-52929 \$11,750.00

ASSIGNED TO COMMITTEE (President):

BILL NO. S-86-03-24


REPORT OF THE COMMITTEE ON CITY UTILITIES

WE, YOUR COMMITTEE ON CITY UTILITIES TO WHOM WAS
REFERRED AN (ORDINANCE) (~~RESOLUTION~~) approving City Utilities
Purchase Order #A-52929, by the City of Fort Wayne, Indiana, by and
through its Department of Purchasing and Vacuum Loading, Inc.,
for the Three Rivers Filtration Plant


HAVE HAD SAID (ORDINANCE) (~~RESOLUTION~~) UNDER CONSIDERATION AND BEG
LEAVE TO REPORT BACK TO THE COMMON COUNCIL THAT SAID (ORDINANCE)
(~~RESOLUTION~~)


YES


NO


PAUL M. BURNS
CHAIRMAN


THOMAS C. HENRY
VICE CHAIRMAN


BEN A. EISBART


JAMES S. STIER


MARK E. GiaQUINTA

CONCURRED IN 4-8-86

SANDRA E. KENNEDY
CITY CLERK